JHB Group, Inc.

8104 N Solon Rd
Solon Mills, IL 60071-8038 US
team@jhbgroup.org
www.JHBGroup.org

Estimate

ADDRESS
JHB Group, Inc.

ESTIMATE	GHST38-JHB.226
DATE	02/27/2026
EXPIRATION DATE	03/26/2026

DATE		DESCRIPTION	QTY	RATE	AMOUNT
	GHOST RHINO Specialty Command Unit	GHOST RHINO Specialty Command Unit: CHASSSIS + International DuraStar 25,999 GVWR + 360 HP Cummins Diesel + 800 ft. lb. Torque + 6 Speed Allison Transmission 3000 Series + Backup Camera & Side View Cameras + Emergency Start Switch + Cup Holders + Aluminum Wheels with 22.5" Tires + Valve Extenders + Engine Block Heater + 100 Gallon Fuel Tank + Rear Air Ride + Air Brakes + Exhaust Brake + Power Driver and Passenger Seats + 20,000lbs Hitch + GCWR 45,999lbs + 10” touch screen w/ Phone Mirroring ADVANCED POWER SYSTEM + 50amp Shoreline Connector + (2) Victron Heavy Duty Lithium Battery (300Ah) + 200w Victron Solar Charging System with Controller + Victron High Capacity Inverter/Charger + 12v Master Power Switch + 50amp Electrical Panel + Battery Disconnect + 12v Fuse Panel + Victron Power Distribution System + 6kW Commercial Diesel Generator with chassis fuel tank, including exhaust adapter and wiring harness as necessary. Includes a remote start-stop	1	666,503.00	666,503.00

switch panel with hour meter, inside the body interior.
+ Fully Automatic Hydraulic Leveling Jacks
CONFIGURATION
+ Seamless Gelcoat Fiberglass Sidewalls
+ Composite Substrate
+ High Strength Low Alloy Light Weight
+ Steel Cage Throughout
+ Laminated Steel Framed Floor
+ Automotive Style Radius Tinted Frameless Windows
+ Heated and Remote Rear View Mirrors
+ Slam Latch Compartment Doors w/ Side Hinge
+ Fiberglass Front Cap w/ Wings
+ Slide Out Awning Toppers Throughout
+ Seamless Wraparound Fiberglass Roof
+ Premolded Rear Roof Transition
+ Lighted Rubber-lined Galvanized Steel Trunk Boxes
+ Valve Extenders Rear Inner Wheels
+ Nautilus Panel
+ One (1) 32x78 side entry door size.
+ Two (2) 14x20 exterior windows
+ One (1) 9ft wide slide out section mounted on DS of vehicle
+ One (1) 6ft wide slide out section mounted on PS of vehicle
+ Retractable step with wall-mounted handrail
+ Under chassis storage compartments
+ Closed cell polystyrene moisture resistant, rigid foam insulation
+ Tongue in groove (TIG) plywood subflooring
+ DOT Lighting
+ (1) Awning - 16ft Legless Awning with LED Lighting
+ (2) Exhaust Fan - 12V Forward/Reverse with MaxxVent Covers
+ (2) 14,000 BTU Low Profile Rooftop Air Conditioners with Thermostat
+ (2) 1500w Infrared Heater
+ Sliding Pocket Door
+ Low-profile, surface mounted light emitting diode (LED) interior lights. - White
+ Low-profile, surface mounted light emitting diode (LED) interior lights. - Red
+ Electric Raceway Throughout
+ Rear Section - Bench Seating with Storage and with Removable Tables.
+ 55in LED Smart TV (2)
+ Modern Galley with Fire Dept Coffee Brew Station, Glass Door Refrigerator

	and Storage Cabinets. EXTERIOR + JHB's Command Rack System: All aluminum construction with non-penetrating roof mount system and universal mounting holes for antennas, lights, storage and more. Power coated finish. + Exterior TV Compartment with 40in LED Smart TV. 110V Outlet. HDMI Input. Wall Mount Bracket. + Exterior Rehab and Fire Dept Coffee Brew Station + Upper Section: Custom Cabinet with Slide Out Tray + Upper Section: Low Profile Coffee Maker with Condiment System + Upper Section: Coffee and Snack Storage + Upper Section: Interior LED Lighting + Lower Section: Custom Cabinet with Slide Out Tray + Lower Section: 12v Power Cooler + Lower Section: Interior LED Lighting + Exterior Scene Lighting (2) + Exterior LED Ground Lighting (4) + CCTV Camera System			
Insulation Upgrade	Insulation Upgrade to R13-15	1	4,592.00	4,592.00
On Spot Chain System	On Spot Chain System: Permanent installation, vehicle is always prepared OnSpot models to fit most vehicles from pickup trucks to tractor trailers 12 volt air compressor kit available for vehicles without air brakes Shift on the fly up to 25 mph, operating speed 2 mph to 35 mph More hauling force Faster acceleration Reduces stopping distance Traction in forward or reverse Increases vehicle safety and productivity Eliminates wheel well damage from broken conventional chains Designed for ice, packed snow, and up to 6 inches of snow Few parts with little maintenance Replaceable chainplates DOT approved in all 50 states Approved for states without chain control areas	1	4,333.00	4,333.00
Emergency Warning Light Package	Emergency warning light package. K90 (4), K40 (2) & K50 (2) (White, Red, Amber or Blue). Interior Lightbar. Siren.	1	9,888.00	9,888.00
Video Matrix System 8x8	JHB-COM-8VID - 8x8 HDBaseT Matrix - 6 x 70m (4K @60 up to 40m) HDCP 2.2, 6 x HDBaseT Outputs & 2 x HDMI	1	12,452.00	12,452.00

	Outputs, Bi-directional IR, PoH (PoE), RS-232 & IP Control, Line Level Volume Control, Web GUI			
Communication Prep Configuration	JHB-COM-CPPKG Communication Prep Configuration	1	2,024.00	2,024.00
Communication Prep Package	JHB-PSP-CMPK (2) NMO Style Antenna Mounts with RG59 / AU Cable. Unterminated. • AntennaPlus AP-MP70-B Cellular GPS Antenna • Power & Ground Prewiring: (2) 20amp 12v Circuits. 1 Forward, 1 Rear.	1	2,024.00	
Coms Prep-Communication Port	Communication Port: 6 Port Wall Plate, Binding Post (Black) , Binding Post (Red) Leviton BNC Connector	2	0.00	
AirGain AntennaPlus MULTIMAX FV 6-in-1 MIMO Multi-Band LTE Triple Wi-Fi and GPS Antenna	AirGain AntennaPlus MULTIMAX FV 6-in-1 MIMO Multi-Band LTE Triple Wi-Fi and GPS Antenna	1	0.00	
Eightwood Dual Band UHF VHF Antenna	Eightwood Dual Band UHF VHF Antenna NMO Mount Ham Mobile Radio Antenna144MHz 430Mhz	4	0.00	
JHB Non-Penetrating Roof Mounting System	Exclusive! JHB Non-Penetrating Roof Mounting System. All communication and antennas are mounted on floating bracket system with no roof penetration to remove concerns for longterm leaking.	1	0.00	
JHB Network/Data Package	JHB-COM-DATA Network/Data Package-v226	1	30,010.89	30,010.89
Data/Networking Package	JHB-COM-DTAPK Unifi Dream Machine Pro | UDM-PRO | 1U Rackmount 10Gbps UniFi Multi-Application System. Unifi 16port Unmanaged POE Switch. (1) Unifi Mesh Access Point. Pepwave MAX BR1 ENT FirstNet Ready. (4)LAN Workstations	1	4,401.89	
Network/Data Package-Ubiquiti Networks Unifi AC Mesh 1167Mbit/s Power over Ethernet (PoE) White	Network/Data Package: Ubiquiti Networks Unifi AC Mesh 1167Mbit/s Power over Ethernet (PoE) White	1	0.00	
Peplink BR2 Max Pro Cellular Router	JHB-BADG-PEPBR2 - Peplink BR2 Max Pro Cellular Router. Cellular (2). Ethernet WAN 2(2.5G). Ethernet LAN 4 (GE). Router Throughput 1Gbps. SpeedFusion VPN Throughput (No Encryption) 400Mbps. Throughput (256-bit AES) 200Mbps.	1	2,899.00	
Network/Data-Dream Machine Pro	Network/Data-Dream Machine Pro-Pre-installed UniFi Network application, LAN ports: (8) GbE RJ45,	1	0.00	

	(1) 10G SFP+, WAN ports: (1) GbE RJ45, (1) 10G SFP+, Threat management and traffic/client identification, (1) 3.5" HDD bay for storing UniFi Protect recording		
Network/Data-UISP EdgeSwitch 16XP	Network/Data-UISP EdgeSwitch 16XP-16 Gigabit PoE Ports, 24V/48V, Configurable Passive PoE, 300 W Power, EdgeSwitch XP Configuration Interface, 1U Rack-Mount Form Factor	1	0.00
12U Network Rack Case w/ slideouts and locking hardware	12U Network Rack Case w/ slideouts and locking hardware	1	0.00
ResponseMesh - One Web Enterprise Satellite Antenna	11FV OneWeb Enterprise Flat Panel Satellite System: Optimized Performance. Utilizing Intellian’s innovative antenna design, the OW11FM delivers the maximum throughput allowed on the OneWeb network. Offering the highest link margin, performance is guaranteed even over scan and at the lowest elevation angles, ensuring are met the highest demands of maritime and land mobile customers. Seamless Connectivity: The OW11FM features Intellian’s advanced tracking technology, extended scan range, and blockage mitigation that improves connection reliability and availability even while in motion. Delivering the best performance at scan, the innovative flat panel technology facilitates smooth reliable handovers, which ensure seamless and undisrupted connectivity. Harsh Environment Performance: The OW11HM is designed to ensure dependable performance in even the most demanding environments, operating in extremely low temperatures down to -40 °C and up to +55 °C (-40 °F to +131 °F).	1	16,890.00
Mesh Access Point, White	Mesh Access Point, White	1	0.00
Response Mesh Ready!	Response Mesh Ready! 12v Power and Fusing ready to go for ResponseMesh- Public Safety Mesh Solution.	1	0.00
ResponseMesh NOW 4IN1 Cellular Data Powered By Roamlink - 1YR 5GB Starter	ResponseMesh NOW 4IN1 Cellular Data Powered By Roamlink - 1YR 5GB Starter	1	0.00
ResponseMesh One Web- 1YR Enterprise Data Package	ResponseMesh One Web Satellite - 1YR Enterprise Data Package	1	3,750.00

ResponseMesh- 4in1 Cellular Data 300GB / Year - Pooled	ResponseMesh- 4in1 Cellular Data 300GB / Year - Pool	1	2,070.00	
Loose Equipment - Public Safety Platform	Loose Equipment - Public Safety Platform	1	0.00	0.00
15amp to 50amp Power Cord Adapter	15amp to 50amp Power Cord Adapter	1	0.00	
25ft Heavy Duty Power Cord	25ft Heavy Duty Power Cord	1	0.00	
Spare 12v Blade Fuses	Spare 12v Blade Fuses	1	0.00	
Mechanics Tool Set	Mechanics Tool Set	1	0.00	
First Aid Kit	First Aid Kit	1	0.00	
Custom Graphic Package – Full	JHB-ART-GHFL: Custom Graphics Package – Complete Graphics Package with custom design, 3M printed vinyl and installation.	1	15,758.00	15,758.00
Hands-On Training	Hands-On Training (4Hrs). Travel costs included.	1		0.00
JHB Warranty and Lifetime Support	Peace of Mind, Protected for Life. Comprehensive Warranty Coverage: Rest easy knowing your investment is protected against manufacturing defects and performance issues. We stand behind our craftsmanship because we know it's built to last. Lifetime Technical Support: Technology and needs evolve, but our commitment to you doesn't. Whether it's year one or year ten, our expert support team is just a call or click away to help you troubleshoot, optimize, or upgrade. Zero-Hassle Claims: We've cut the red tape. Our streamlined claims process ensures that if something goes wrong, we get you back up and running fast—no hoops, no headaches. Expert Guidance: Access a wealth of knowledge from specialists who know your product inside and out. From setup tips to advanced maintenance, we're here to ensure you get the maximum value for a lifetime.	1	0.00	0.00T

SUBTOTAL	745,560.89
TAX	0.00
TOTAL	**$745,560.89**

RESPONSEMESH

Field Solution

Keep Connected Everywhere with the Most Robust Cellular + Starlink Satellite System in a BOX

- Cellular + Starlink Satellite
- IP67 Rated Case
- Lithium Battery
- No Antennas To Set Up In The Field
- Plug n' Play!
- Deploys Closed & Sealed To Protect From Harsh Weather
- Pepwave BR2 Pro 5G Router With 2x 5G/CAT-20 LTE
- SpeedFusion Bonding Technology Included
- ResponseMesh NOW Ready!
- 4-In-1 Coverage (ATT, Verizon, T-Mobile, & US Cellular)

Fleet Solutions

- Plug n' Play **Cellular** Solution
- IP67 Rated Enclosure
- Peplink MAX BR1 Mini 5G WiFi Router
- 2X2 WiFi Antennas
- 1x GPS Receiver
- Magnetic, Pole, or Adhesive Mounting
- ResponseMesh Now Included
- SpeedFusion Hot Failover
- WAN Smoothing

- **Cellular + Satellite** Solution
- IP67 Rated Enclosure
- Peplink MAX BR1 Mini 5G WiFi
- Starlink Mini Antenna
- 2X2 WiFi Antennas
- 1x GPS Receiver
- Magnetic or Adhesive Mounting
- ResponseMesh NOW 4-In-1 Cellular Included
- SpeedFusion Bonding

Copyright 2025 ResponseMesh, LLC

Team@ResponseMesh.com

www.ResponseMesh.com

RESPONSEMESH NOW

4-In-1 Cellular Network For Public Safety

Powered By Roamlink

Why ResponseMesh NOW?

ResponseMesh NOW Powered By Roamlink delivers high-speed, dependable connectivity for public safety, field operations, and remote deployments. Providing prioritized 4-In-1 cellular service, ResponseMesh NOW ensures you stay connected–even when one network fails–using intelligent network switching.

No longer get stuck with a single cellular carrier anymore. ResponseMesh NOW gives you 4-In-1.



Multi-Carrier Internet

Automatically switch between all major US carriers based on the best available signal to make sure you are connected when it matters most.

Highest Network Priority

VIP

Top level priority data off cell towers. Faster speeds even when towers are saturated.

SIMple Activation

SIM

SIM or eSIM activations with sims that do not expire for easy activation, suspending, and re-activation.

FEATURES & PROVIDER	RESPONSEMESH	STARLINK	TRADITIONAL CELLULAR
CARRIERS INCLUDED	T · AT&T · Verizon		Depends on Device
RELIABLE HARDWARE	ResponseMesh Certified Hardware	Starlink Gateway	Chinese No-Name Hardware
TECH SUPPORT	5-Star US-Based Support	E-Mail Only, > 24hr to Reply	US-Based Support
PRIORITY ACCESS	Prioritized Network Access	Deprioritized to Priority Customers	Deprioritized FWA Plans
COVERAGE	ResponseMesh Now, All Major Carriers	Requires Open Sky, No Obstructions	Multi-Carrier
SECURITY	US Gov't FIPS & PCI Compliant Hardware made in Taiwan	FIPS & PCI Compliant Hardware	Chinese Hardware, Not FIPS Compliant
STATIC IP OPTIONS	Yes	No	No

Key Benefits of ResponseMesh Wireless Static IP Service:

- √ *Seamless carrier switching without changing IP addresses*
- √ *Reliable remote access to cameras, sensors, and devices*
- √ *Enhanced security for personal and business networks*
- √ *Simplified VPN and remote desktop connections*
- √ *Ideal for disaster recovery and business continuity planning*

Copyright 2025 ResponseMesh, LLC

Team@ResponseMesh.com

www.ResponseMesh.com

SECURE SATELLITE CONNECTIVITY

Field-Proven Hybrid Communications Solution For First Responder Agencies

Kymeta U8 Marine-grade Peregrine User Terminal Overview

- Innovative turnkey electronically scanning (steerable) terminal.
- Supports easily configurable dual or multi terminal systems to meet cruise connectivity demand.
- Low profile and aerodynamic design measuring 89.5 × 89.5 × 14 cm & 30.1kg.
- IP66 marine grade.
- Embedded OneWeb modem.

Intellian Enterprise Flat Panel (OW11F & OW10H)

- Active electronically scanned arrays

High throughput performance:

- OW11F: 150 Mbps down /30 Mbps up
- OW10H: 50 Mbps down/10 Mbps up

Lightweight:

- OW11F: 97.3 x 50.5 x 13.2 cm & 20.5kg
- OW10H: 56 x 45 x 12 cm & 12.2kg
- IP66 (IEC-60529) marine grade.

Dual parabolic user terminals are also available.

cinetcomm

SECURE Satellite Connectivity For Public Safety Agencies

Cinetcomm brings together the right mix of connectivity options, including OneWeb LEO services, to meet public safety agency operational needs. Cinetcomm TotalConnex™ system blends new low-latency services with traditional connectivity options, delivering a single, optimized, secure path – anywhere. Cinetcomm TotalConnex™ blends Land Mobile Radio (LMR), ResponseMesh 4in1 Cellular LTE and satellite wireless networks together to provide complete coverage everywhere you need to operate!



RESPONSEMESH